

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	7854	((385/39) or (385/52) or (385/88-94) or (385/25) or (385/31)).CCLS.	US-PGPUB; USPAT	2006/0 7/07 14:28			
2	BRS	L2	6837	(optical or optic or optoelectronic) near3 (package or packaging or module or housing).ti,ab.	US-PGPUB; USPAT	2006/0 7/07 14:28			
3	BRS	L3	32018	(adjustable or adjusted or adjusting or tunable or tuning or tuned) near5 (coupling or alignment)	US-PGPUB; USPAT	2006/0 7/07 14:28			
4	BRS	L4	23129	(movable or moving or mems) near3 (reflector or reflectors or deflector or deflectors or mirror or mirrors)	US-PGPUB; USPAT	2006/0 7/07 14:28			
5	BRS	L5	63	L3 same L4	US-PGPUB; USPAT	2006/0 7/07 14:28			
6	BRS	L6	9	(L1 or L2) and L5	US-PGPUB; USPAT	2006/0 7/07 14:28			
7	BRS	L7	54	(L1 or L2) and L3 and L4	US-PGPUB; USPAT	2006/0 7/07 14:28			
8	BRS	L8	54	L6 or L7	US-PGPUB; USPAT	2006/0 7/07 14:28			
9	BRS	L9	954	L4 with (alignment or aligning or aligned)	US-PGPUB; USPAT	2006/0 7/07 14:28			
10	BRS	L10	61	(L1 or L2) and L9	US-PGPUB; USPAT	2006/0 7/07 14:28			

10/613809 (update)

	Type	L #	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition	Errors
11	IS&R	L11	738	(385/140).CCLS.	US-PGPUB; USPAT	2006/0 7/07 14:28			
12	BRS	L12	91	L11 and L4	US-PGPUB; USPAT	2006/0 7/07 14:28			
13	BRS	L13	143021	(post or after) adj3 (packaging or packaged or production or assembly or assembled or manufacture or manufactured or manufacturing or shipped or shipping)	US-PGPUB; USPAT	2006/0 7/07 14:28			
14	BRS	L14	57	L13 with L3	US-PGPUB; USPAT	2006/0 7/07 14:28			
15	BRS	L15	2	L14 and L4	US-PGPUB; USPAT	2006/0 7/07 14:28			
16	BRS	L16	2672	L13 with (aligned or alignment)	US-PGPUB; USPAT	2006/0 7/07 14:28			
17	BRS	L17	43	L16 and L4	US-PGPUB; USPAT	2006/0 7/07 14:28			
18	IS&R	L18	4056	(385/88-94).CCLS.	US-PGPUB; USPAT	2006/0 7/07 14:28			
19	BRS	L19	42	L18 and (aligned or alignment) and L4	US-PGPUB; USPAT	2006/0 7/07 14:28			

	Type	L #	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition	Errors
20	BRS	L20	373	L5 or L8 or L10 or L12 or L14 or L15 or L17 or L19	US-PGPUB; USPAT	2006/07/07 14:28			
21	BRS	L21	9	L20 and @pd>"20060510"	US-PGPUB; USPAT	2006/07/07 14:28			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	0	(shroud and base and (fiber or fibre or waveguide) and (mirror near5 (moveable or movable or moveably or movably or positionable or repositionable)) ).clm.	US-PGPUB	2006/07/07 15:14			
2	BRS	L2	2	((packaged or package or packaging) and base and (fiber or fibre or waveguide) and (mirror near5 (moveable or movable or moveably or movably or repositionable)) ).clm.	US-PGPUB	2006/07/07 15:14			

(interference)